

2016年度 特定健診(がん検診)結果集計表 (2016年4月～2017年3月)

			年 齢				—39		40—44		45—49		50—54		55—59		60—64		65—69		70—74		75—79		80—		
男・女	計	%	男	%	女	%	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
計	2,539	100.0	1,128	100	1,411	100	10	2	29	125	30	88	39	74	29	78	82	173	290	325	272	233	224	187	123	126	
判定																											
A + B	137	5.4	46	4.1	91	6.4	3	0	4	23	4	13	1	9	1	8	8	8	15	16	5	5	5	9	0	0	
C	594	23.4	209	18.5	385	27.3	2	1	8	49	10	34	14	28	8	28	16	52	55	98	50	52	32	30	14	13	
D	622	24.5	269	23.8	353	25.0	4	0	12	49	4	32	12	26	10	27	22	54	73	74	64	39	40	30	28	22	
E	11	0.4	7	0.6	4	0.3	0	0	0	1	0	1	1	1	0	0	0	0	2	0	0	1	3	0	1	0	
F	1,175	46.3	597	52.9	578	41.0	1	1	5	3	12	8	11	10	10	15	36	59	145	137	153	136	144	118	80	91	
要指導																											
肥 満	754	29.7	341	30.2	413	29.3	5	1	10	28	14	33	14	31	10	32	28	43	89	77	68	64	65	63	38	41	
高 血 圧	239	9.4	117	10.4	122	8.6	0	0	2	7	2	7	7	5	3	5	7	19	35	33	27	22	21	9	13	15	
心 障 害 ※	313	12.3	157	13.9	156	11.1	0	0	1	2	0	3	0	2	3	2	14	18	44	40	36	47	40	27	19	15	
高 脂 血 症	639	25.2	271	24.0	368	26.1	3	0	12	18	12	15	21	18	10	20	14	65	70	97	59	65	46	43	24	27	
肝 障 害	285	11.2	164	14.5	121	8.6	1	0	7	5	0	9	6	5	5	5	8	8	35	18	40	27	42	26	20	18	
貧 血 症 ※	330	13.0	133	11.8	197	14.0	0	1	0	29	0	12	2	9	1	4	6	17	19	31	34	28	43	32	28	34	
白血球異常※	69	2.7	24	2.1	45	3.2	0	0	0	3	1	1	1	7	1	4	1	9	8	8	4	7	4	3	4	3	
腎 障 害 ※	235	9.3	135	12.0	100	7.1	0	0	2	2	2	1	1	4	2	2	8	11	37	20	32	14	31	23	20	23	
要精密検査																											
高 血 圧 症	71	2.8	43	3.8	28	2.0	2	0	1	0	0	1	3	0	2	2	5	6	13	9	7	4	5	4	5	2	
高 脂 血 症	151	5.9	52	4.6	99	7.0	2	0	4	6	0	5	3	8	3	8	5	19	14	24	13	14	6	9	2	6	
心 障 害 ※	103	4.1	60	5.3	43	3.0	0	0	0	1	1	0	0	0	2	0	2	3	13	9	18	12	14	11	10	7	
肝 障 害	166	6.5	120	10.6	46	3.3	1	0	2	2	4	4	12	2	7	3	13	10	37	13	26	7	15	2	3	3	
貧 血 症 ※	122	4.8	57	5.1	65	4.6	1	0	0	21	1	12	2	4	0	3	1	0	8	6	8	3	18	7	18	9	
白血球異常※	62	2.4	31	2.7	31	2.2	0	0	3	7	2	3	3	0	4	1	1	4	5	5	6	3	4	2	3	6	
糖 代 謝 異 常	157	6.2	110	9.8	47	3.3	0	0	3	1	2	1	0	2	6	7	9	6	27	13	21	4	28	7	14	6	
尿 糖 (+)	111	4.4	80	7.1	31	2.2	0	0	4	1	0	2	1	2	2	4	7	3	17	5	20	5	21	5	8	4	
便潜血(+)※2	165	7.6	85	9.1	80	6.5	0	0	3	9	0	6	1	2	0	3	5	9	14	10	25	12	21	16	16	13	
胃部カメラ異常※2	95	10.7	53	12.6	42	9.0	0	0	0	0	0	0	0	1	0	1	6	7	18	13	12	11	9	6	8	3	
胃部X-P異常※2	77	10.9	42	12.2	35	9.7	0	0	0	1	0	0	0	2	1	2	2	5	15	6	10	9	6	4	8	6	
胸部X-P異常	15	0.6	7	0.6	8	0.6	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	1	2	2	2	4	
尿 蛋 白 (+)	93	3.7	65	5.8	28	2.0	0	0	1	2	1	1	3	2	0	2	5	3	15	4	15	2	14	4	11	8	
尿 潜 血 (+)	218	8.6	48	4.3	170	12.0	0	0	1	11	1	12	3	10	2	9	2	21	10	36	13	28	10	24	6	19	
腎 障 害 ※	68	2.7	39	3.5	29	2.1	0	0	2	0	0	0	3	0	0	0	1	1	0	4	13	7	8	6	12	11	

A:異常なし
 B:軽度の異常が見られるが日常生活に差し支えなし
 C:経過観察を要する

D:要精密検査
 E:要治療
 F:治療中

※:未実施の方あり(%は実施数対比)
 ※2:未実施の方、単独受診の方あり(%は実施数対比)

特定健診・がん検診精密検査結果集計表（1月～12月）

	年 齢		—39		40—44		45—49		50—54		55—59		60—64		65—69		70—74		75—79		80—		
	合計	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
胃X-P	591	288	303	0	0	4	27	2	4	6	19	11	23	29	41	97	87	65	44	46	31	28	27
受診者数	70	40	30	0	0	0	0	0	0	0	1	2	2	2	6	13	5	12	7	6	3	5	6
要精検者数	11.8	13.9	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	18.2	8.7	6.9	14.6	13.4	5.7	18.5	15.9	13.0	9.7	17.9	22.2
要精検率 %	53	29	24	0	0	0	0	0	0	1	2	2	2	1	5	8	4	11	4	4	2	3	6
精検受診者数	75.7	72.5	80.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	50.0	83.3	61.5	80.0	91.7	57.1	66.7	66.7	60.0	100.0
精検受診率 %	結 果																						
異常なし	6	2	4	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	2	1
進行胃がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
早期胃がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
深達度不明胃がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
粘膜内がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃がん疑い	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃ポリープ	10	2	8	0	0	0	0	0	0	1	1	1	0	1	1	0	0	2	0	0	0	0	3
胃潰瘍	5	5	0	0	0	0	0	0	0	0	0	0	0	0	2	0	3	0	0	0	0	0	0
十二指腸潰瘍	2	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0
共存潰瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
腺腫	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃粘膜下腫瘍	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0
十二指腸ポリープ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
食道がん	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
胃がん以外の悪性腫瘍	2	0	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
不 明	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
その他	36	21	15	0	0	0	0	0	0	0	1	2	1	1	3	5	2	9	2	3	2	1	4
胃内視鏡検査																							
受診者数	234	111	123	0	0	0	2	0	2	3	3	0	3	12	14	31	32	37	28	20	31	8	8
要精検者数	32	20	12	0	0	0	0	0	0	0	2	0	0	3	1	7	1	5	4	4	1	1	3
要精検率 %	13.7	18.0	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66.7	0.0	0.0	25.0	7.1	22.6	3.1	13.5	14.3	20.0	3.2	12.5	37.5
精検受診者数	32	20	12	0	0	0	0	0	0	0	2	0	0	3	1	7	1	5	4	4	1	1	3
精検受診率 %	100.0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	0.0	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
結 果																							
異常なし	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
進行胃がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
早期胃がん	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
深達度不明胃がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
粘膜内がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃がん疑い	2	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0
胃ポリープ	4	4	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0	1	0
胃潰瘍	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
十二指腸潰瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
共存潰瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
腺腫	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃粘膜下腫瘍	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
十二指腸ポリープ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
食道がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃がん以外の悪性腫瘍	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
胃潰瘍瘢痕	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
不 明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
十二指腸潰瘍瘢痕	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
その他	23	13	10	0	0	0	0	0	0	0	2	0	0	2	1	5	0	3	3	3	1	0	3

胸部X-P	年 齢		—39		40—44		45—49		50—54		55—59		60—64		65—69		70—74		75—79		80—		
	合 計	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
受診者数	706	327	379	9	2	8	18	7	23	8	21	12	21	33	46	65	80	79	80	72	50	34	38
要精検者数	16	9	7	0	0	0	0	0	1	0	0	0	1	1	0	2	0	2	0	2	2	2	3
要精検率 %	2.3	2.8	1.8	0.0	0.0	0.0	0.0	0.0	4.3	0.0	0.0	0.0	4.8	3.0	0.0	3.1	0.0	2.5	0.0	2.8	4.0	5.9	7.9
精検受診者数	8	7	1	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	2	1	1	0
精検受診率 %	50.0	77.8	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	0.0	100.0	0.0	100.0	50.0	50.0	0.0
結 果																							
肺がん疑い	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
肺結核	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がん0期	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がんⅠ期	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がんⅡ期	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がんⅢ期	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がんⅣ期	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
その他	5	4	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	1	0	0
不 明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
異常なし	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0
その他の肺悪性新生物	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
その他の肺新生物	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
糖代謝異常																							
受診者数	2,550	1,115	1,435	10	2	32	125	28	84	32	81	27	82	88	174	283	337	261	240	228	181	126	129
要精検者数	130	91	39	0	0	2	2	1	2	1	2	7	5	6	5	22	11	17	2	22	6	13	4
要精検率 %	5.1	8.2	2.7	0.0	0.0	6.3	1.6	3.6	2.4	3.1	2.5	25.9	6.1	6.8	2.9	7.8	3.3	6.5	0.8	9.6	3.3	10.3	3.1
精検受診者数	23	14	9	0	0	1	1	0	2	0	1	2	2	2	1	5	0	2	0	2	1	0	1
精検受診率 %	17.7	15.4	23.1	0.0	0.0	50.0	50.0	0.0	100.0	0.0	50.0	28.6	40.0	33.3	20.0	22.7	0.0	11.8	0.0	9.1	16.7	0.0	25.0
結 果																							
糖尿病	17	10	7	0	0	0	1	0	2	0	1	1	1	2	1	5	0	1	0	1	0	0	1
境界型	3	1	2	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0
異常なし	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
その他	3	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1	0	0	0
便潜血																							
受診者数	1,923	855	1,068	0	0	23	83	17	45	17	47	18	50	68	125	213	265	218	203	186	149	95	101
要精検者数	134	71	63	0	0	2	3	0	6	2	2	0	3	7	8	15	8	18	9	17	13	10	11
要精検率 %	7.0	8.3	5.9	0	0	8.7	3.6	0.0	13.3	11.8	4.3	0.0	6.0	10.3	6.4	7.0	3.0	8.3	4.4	9.1	8.7	10.5	10.9
精検受診者数	106	56	50	0	0	1	3	0	6	2	2	0	2	6	7	11	5	17	7	11	11	8	7
精検受診率 %	79.1	78.9	79.4	0.0	0.0	50.0	100.0	0.0	100.0	100.0	100.0	0.0	66.7	85.7	87.5	73.3	62.5	94.4	77.8	64.7	84.6	80.0	63.6
結 果																							
進行大腸がん	4	1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1
早期大腸がん	6	4	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	1	0	1	0	0
深達度不明大腸がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
大腸がんの疑い	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
大腸腺腫	34	23	11	0	0	1	0	0	1	0	0	0	1	1	2	5	2	6	0	4	3	6	2
その他大腸ポリープ	11	5	6	0	0	0	1	0	0	0	0	0	0	1	1	2	0	1	0	1	3	0	1
大腸憩室	5	3	2	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	2	0
潰瘍性大腸炎	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
クローン病	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
その他	6	2	4	0	0	0	0	0	1	0	0	0	0	0	1	0	0	1	0	1	1	0	1
不 明	5	4	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0	3	0	0	0	0	0
異常なし	36	14	22	0	0	0	2	0	4	2	2	0	1	2	1	2	3	4	6	4	1	0	2

P S A	年 齢		—39		40—44		45—49		50—54		55—59		60—64		65—69		70—74		75—79		80—		
	合 計	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女		
受診者数	350	350	0	0	0	0	2	0	8	0	7	0	25	0	82	0	105	0	80	0	41	0	
要精検者数	50	50		0		0		0		0		0	6		12		14		14		4		
要精検率 %	14.3	14.3		0.0		0.0		0.0		0.0		0.0	24.0		14.6		13.3		17.5		9.8		
精検受診者数	43	43		0		0		0		0		0	6		8		11		14		4		
精検受診率 %	86.0	86.0		0.0		0.0		0.0		0.0		0.0	100.0		66.7		78.6		100.0		100.0		
結 果																							
進行がん	0	0		0		0		0		0		0		0		0		0		0		0	
早期がんB 0	0	0		0		0		0		0		0		0		0		0		0		0	
早期がんB 1	2	2		0		0		0		0		0		0		1		1		0		0	
早期がんB 2	2	2		0		0		0		0		0		1		0		0		0		1	
局所進展がん	0	0		0		0		0		0		0		0		0		0		0		0	
がんの疑い	19	19		0		0		0		0		3		1		7		7		1		1	
病期不明がん	0	0		0		0		0		0		0		0		0		0		0		0	
その他	7	7		0		0		0		0		2		3		1		1		1		0	
不 明	2	2		0		0		0		0		0		0		1		1		0		0	
異常なし	11	11		0		0		0		0		0		1		3		1		4		2	
乳																							
受診者数	195	0	195	0	0	0	68	0	28	0	32	0	21	0	13	0	21	0	9	0	3	0	0
要精検者数	11		11		0		4		3		1		1		0		1		1		0		0
要精検率 %	5.6		5.6		0		5.9		10.7		3.1		4.8		0.0		4.8		11.1		0.0		0
精検受診者数	10		10		0		3		3		1		1		0		1		1		0		0
精検受診率 %	90.9		90.9		0.0		75.0		100.0		100.0		100.0		0.0		100.0		100.0		0.0		0.0
結 果																							
乳がん	0		0		0		0		0		0		0		0		0		0		0		0
がんの疑い	0		0		0		0		0		0		0		0		0		0		0		0
線維腺腫	2		2		0		0		0		1		0		0		1		0		0		0
乳腺症	1		1		0		0		1		0		0		0		0		0		0		0
のう胞	0		0		0		0		0		0		0		0		0		0		0		0
良性石灰化像	2		2		0		1		1		0		0		0		0		0		0		0
その他	3		3		0		2		0		0		0		0		0		1		0		0
不 明	0		0		0		0		0		0		0		0		0		0		0		0
異常なし	2		2		0		0		1		0		1		0		0		0		0		0
子宮																							
受診者数	366	0	366	0	0	0	57	0	29	0	26	0	21	0	53	0	89	0	63	0	21	0	7
要精検者数	3		3		0		0		1		0		0		1		1		0		0		0
要精検率 %	0.0		0.0		0		0.0		0.034		0.0		0.0		0.0		0.0		0.0		0.0		0.0
精検受診者数	2		2		0		0		1		0		0		0		1		0		0		0
精検受診率 %	66.7		66.7		0.0		0.0		100.0		0.0		0.0		0.0		100.0		0.0		0.0		0.0
結 果																							
浸潤がん(子宮頸)	0		0		0		0		0		0		0		0		0		0		0		0
上皮内がん(子宮頸)	1		1		0		0		1		0		0		0		0		0		0		0
子宮体がん	0		0		0		0		0		0		0		0		0		0		0		0
高度異形成	0		0		0		0		0		0		0		0		0		0		0		0
中等度異形成	0		0		0		0		0		0		0		0		0		0		0		0
軽度異形成	0		0		0		0		0		0		0		0		0		0		0		0
内膜増殖症	0		0		0		0		0		0		0		0		0		0		0		0
その他	0		0		0		0		0		0		0		0		0		0		0		0
不 明	1		1		0		0		0		0		0		1		0		0		0		0
異常なし	1		1		0		0		0		0		0		0		1		0		0		0

※要精検数は細胞診結果のみ