

## 2017年度 日帰りドック結果集計表 (2017年4月～2018年3月)

				年 齢				—39		40—44		45—49		50—54		55—59		60—64		65—69		70—74		75—79		80—	
	男・女	計	%	男	%	女	%	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
計	3295	100		1693	100	1602	100	90	67	151	104	116	118	143	133	160	176	207	225	292	291	239	208	173	150	122	130
組 合 員	2579	78.3		1244	73.5	1335	83.3	30	32	52	44	44	58	63	80	89	137	162	212	277	287	235	205	171	150	121	130
非 組 合 員	716	21.7		449	26.5	267	16.7	60	35	99	60	72	60	80	53	71	39	45	13	15	4	4	3	2	0	1	0
判 定																											
A + B	16	0.5		11	0.6	5	0.3	4	4	4	0	1	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0
C	688	20.9		324	19.1	364	22.7	43	27	52	53	46	45	39	46	29	57	31	46	36	48	26	22	16	11	6	9
D	875	26.6		440	26.0	435	27.2	34	33	68	40	48	55	51	51	45	44	56	52	65	77	32	39	33	26	8	18
E	14	0.4		11	0.6	3	0.2	1	0	2	0	2	0	2	0	0	2	1	0	2	1	0	0	0	0	1	0
F	1702	51.7		907	53.6	795	49.6	8	3	25	11	19	18	50	35	85	73	119	127	189	165	181	147	124	113	107	103
要 指 導																											
肥 満	1046	31.7		574	33.9	472	29.5	33	16	59	29	41	37	49	38	62	49	70	78	91	84	80	51	51	45	38	45
高 血 圧	266	8.1		155	9.2	111	6.9	11	1	16	2	15	1	12	10	13	11	21	16	29	27	18	17	15	13	5	13
心 障 害	890	27.0		507	29.9	383	23.9	24	9	31	27	25	20	26	25	47	38	47	47	95	76	88	65	72	40	52	36
高 脂 血 症	985	29.9		511	30.2	474	29.6	29	17	47	11	46	30	54	48	49	67	65	74	83	92	68	59	36	46	34	30
肝 障 害	1009	30.6		514	30.4	495	30.9	18	9	43	20	29	19	40	35	40	52	61	57	89	96	72	70	67	66	55	71
貧 血 症	280	8.5		115	6.8	165	10.3	1	9	4	14	1	16	7	13	5	10	15	19	15	16	24	22	14	21	29	25
白 血 球 異 常	76	2.3		23	1.4	53	3.3	2	3	2	2	1	2	2	3	1	12	4	12	5	4	3	9	2	5	1	1
腎 障 害	615	18.7		331	19.6	284	17.7	17	2	17	7	19	15	16	8	27	24	36	37	70	61	64	45	35	40	30	45
呼 吸 機 能 障 害	281	8.5		175	10.3	106	6.6	5	2	10	1	10	2	3	2	19	6	23	13	26	17	31	20	25	20	23	23
要 精 密 検 査																											
高 血 圧 症	56	1.7		38	2.2	18	1.1	2	0	2	1	1	2	6	3	5	0	7	3	7	1	4	2	3	4	1	2
高 脂 血 症	208	6.3		94	5.6	114	7.1	4	4	14	4	10	2	8	14	17	17	10	24	13	25	9	15	4	6	5	3
心 障 害	141	4.3		89	5.3	52	3.2	4	1	6	1	2	3	6	2	10	5	11	5	14	8	20	9	6	6	10	12
肝 障 害	317	9.6		261	15.4	56	3.5	13	2	30	3	24	5	25	5	34	6	46	10	39	15	25	4	12	3	13	3
貧 血 症	120	3.6		44	2.6	76	4.7	2	2	1	9	1	16	1	10	1	2	2	5	8	6	4	2	10	10	14	14
白 血 球 異 常	79	2.4		48	2.8	31	1.9	1	2	4	3	6	3	6	4	6	1	7	3	9	4	6	2	3	6	0	3
糖 代 謝 異 常	355	10.8		236	13.9	119	7.4	0	0	9	1	6	1	15	4	26	11	25	22	49	26	46	23	34	17	26	14
尿 糖 ( + )	12	0.4		11	0.6	1	0.1	0	0	1	0	1	0	1	0	1	0	1	0	1	0	2	0	2	1	1	0
便 潜 血 ( + )	190	6.0		118	7.2	72	4.7	3	4	3	3	12	4	9	3	11	9	13	6	22	14	20	16	15	8	10	5
胃 部 カ メ ラ 異 常	84	6.5		48	7.1	36	5.7	2	0	7	0	1	3	1	1	3	5	4	6	11	10	9	5	6	5	4	1
胃 部 X - P 異 常	109	8.6		63	9.2	46	7.9	3	1	2	2	3	1	4	2	9	4	9	9	12	11	7	7	6	4	8	5
胸 部 X - P 異 常	54	1.6		37	2.2	17	1.1	0	0	2	0	1	1	0	1	1	4	4	1	8	3	6	2	8	2	7	3
呼 吸 機 能 異 常	144	4.4		103	6.1	41	2.6	0	0	3	3	2	2	3	3	6	2	8	3	21	6	19	5	17	10	24	7
尿 蛋 白 ( + )	137	4.2		104	6.1	33	2.1	1	3	8	0	5	4	5	2	9	2	10	2	23	5	20	8	8	3	15	4
尿 潜 血 ( + )	286	8.7		82	4.8	204	12.7	0	7	8	11	4	14	2	19	8	12	11	23	18	47	12	31	7	22	12	18
腎 障 害	139	4.2		66	3.9	73	4.6	3	0	2	1	3	1	4	0	5	4	7	7	8	10	9	8	7	17	18	25

A:異常なし  
 B:軽度の異常が見られるが日常生活に差し支えなし  
 C:経過観察を要する

D:要精密検査  
 E:要治療  
 F:治療中

日帰りドック精密検査結果集計表（1月～12月）

胃X-P	年 齢		—39		40—44		45—49		50—54		55—59		60—64		65—69		70—74		75—79		80—		
	合 計	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
受診者数	1256	675	581	62	43	66	50	76	49	57	46	77	88	81	97	104	85	72	54	44	41	36	28
要精検者数	98	59	39	2	1	1	0	3	0	2	3	6	5	9	9	13	8	8	4	6	5	9	4
要精検率 %	7.8	8.7	6.7	3.2	2.3	1.5	0.0	3.9	0.0	3.5	6.5	7.8	5.7	11.1	9.3	12.5	9.4	11.1	7.4	13.6	12.2	25.0	14.3
精検受診者数	76	41	35	1	1	1	0	2	0	2	2	3	4	6	9	9	6	6	4	4	5	7	4
精検受診率%	77.6	69.5	89.7	50.0	100.0	100.0		66.7		100.0	66.7	50.0	80.0	66.7	100.0	69.2	75.0	75.0	100.0	66.7	100.0	77.8	100.0
結 果																							
異常なし	6	3	3	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	1	0
進行胃がん	1	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
早期胃がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
深達度不明胃がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
粘膜内がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃がん疑い	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃ポリープ	8	4	4	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	1	2	1
胃潰瘍	6	3	3	0	0	0	0	0	0	0	0	1	1	1	1	0	0	1	1	0	0	0	0
十二指腸潰瘍	4	2	2	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0
共存潰瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
腺腫	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃粘膜下腫瘍	4	3	1	0	0	0	0	0	0	1	0	0	0	0	2	0	0	1	0	0	0	0	0
十二指腸ポリープ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
食道がん	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
胃がん以外の悪性腫瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
不 明	5	4	1	0	0	0	0	0	0	1	1	0	0	1	0	2	0	0	0	0	0	0	0
その他	52	28	24	2	0	0	0	2	0	1	1	1	2	5	8	6	5	5	1	2	3	4	4
胃内視鏡検査																							
受診者数	1344	703	641	23	19	54	26	42	43	54	52	65	69	102	97	159	160	101	84	73	54	30	37
要精検者数	94	59	35	0	0	7	0	2	3	1	1	4	5	6	6	18	10	11	5	6	5	4	0
要精検率 %	7.0	8.4	5.5	0.0	0.0	13.0	0.0	4.8	7.0	1.9	1.9	6.2	7.2	5.9	6.2	11.3	6.3	10.9	6.0	8.2	9.3	13.3	0.0
精検実施者数	94	59	35	0	0	7	0	2	3	1	1	4	5	6	6	18	10	11	5	6	5	4	0
精検実施率 %	100.0	100.0	100.0			100.0		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
結 果																							
異常なし	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
進行胃がん	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
早期胃がん	9	7	2	0	0	0	0	0	0	0	0	1	1	0	0	2	1	2	0	0	0	2	0
深達度不明胃がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
粘膜内がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃がん疑い	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃ポリープ	9	4	5	0	0	0	0	0	2	0	0	1	0	0	1	2	1	1	1	1	0	0	0
胃潰瘍	9	5	4	0	0	0	0	0	0	0	0	1	0	0	1	2	1	1	1	1	1	0	0
十二指腸潰瘍	2	2	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
共存潰瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
腺腫	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	0	2	0
胃粘膜下腫瘍	6	4	2	0	0	1	0	1	0	0	0	0	0	1	0	0	1	0	1	1	0	0	0
十二指腸ポリープ	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
食道がん	3	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	0
胃がん以外の悪性腫瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃潰瘍瘢痕	4	4	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	1	0	0	0
不 明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
十二指腸潰瘍瘢痕	3	2	1	0	0	1	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0
その他	57	34	23	0	0	5	0	1	2	1	1	2	4	4	3	14	8	5	1	2	4	0	0

胸部X-P	年 齢		—39		40—44		45—49		50—54		55—59		60—64		65—69		70—74		75—79		80—		
	合 計	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
受診者数	3296	1686	1610	88	68	125	96	123	117	130	124	168	212	226	239	314	300	225	188	167	144	120	122
要精検者数	60	39	21	0	0	1	1	2	1	0	2	1	2	3	3	8	4	7	2	9	2	8	4
要精検率 %	1.8	2.3	1.3	0.0	0.0	0.8	1.0	1.6	0.9	0.0	1.6	0.6	0.9	1.3	1.3	2.5	1.3	3.1	1.1	5.4	1.4	6.7	3.3
精検受診者数	48	29	19	0	0	1	1	2	0	0	1	1	2	2	3	6	4	5	2	9	2	3	4
精検受診率 %	80.0	74.4	90.5			100.0	100.0	100.0	0.0		50.0	100.0	100.0	66.7	100.0	75.0	100.0	71.4	100.0	100.0	100.0	37.5	100.0
結 果																							
肺がん疑い	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
肺結核	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がん0期	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がんⅠ期	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がんⅡ期	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がんⅢ期	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がんⅣ期	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
その他	34	19	15	0	0	0	0	2	0	0	0	1	2	1	3	3	3	3	2	7	2	2	3
不 明	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
異常なし	8	6	2	0	0	1	0	0	0	0	0	0	0	1	0	2	1	1	0	1	0	0	1
その他の肺悪性新生物	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
その他の肺新生物	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
便潜血																							
受診者数	3219	1641	1578	87	68	123	93	121	115	128	121	161	205	220	235	311	298	217	186	160	139	113	118
要精検者数	200	123	77	4	5	2	3	10	2	10	4	9	10	14	9	24	16	20	15	16	7	14	6
要精検率 %	6.2	7.5	4.9	4.6	7.4	1.6	3.2	8.3	1.7	7.8	3.3	5.6	4.9	6.4	3.8	7.7	5.4	9.2	8.1	10.0	5.0	12.4	5.1
精検受診者数	137	88	49	3	4	2	2	7	0	7	1	8	7	13	4	16	12	14	10	8	6	10	3
精検受診率 %	68.5	71.5	63.6	75.0	80.0	100.0	66.7	70.0	0.0	70.0	25.0	88.9	70.0	92.9	44.4	66.7	75.0	70.0	66.7	50.0	85.7	71.4	50.0
結 果																							
進行大腸がん	3	3	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0	0	0	0
早期大腸がん	8	6	2	0	0	0	0	0	0	0	0	1	1	0	0	2	0	2	0	0	0	1	1
深達度不明大腸がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
大腸がんの疑い	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
大腸腺腫	54	38	16	1	1	0	1	2	0	3	0	2	3	6	2	7	2	8	5	5	0	4	2
その他大腸ポリープ	11	9	2	0	0	1	0	1	0	0	0	1	0	3	0	2	1	0	1	1	0	0	0
大腸憩室	13	8	5	0	0	0	0	0	0	1	0	0	0	1	0	2	2	1	1	1	1	2	1
潰瘍性大腸炎	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
クローン病	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
その他	3	2	1	0	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
不 明	3	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	0	0
異常なし	47	26	21	2	2	1	1	5	0	3	1	3	3	3	2	2	5	3	3	1	4	3	0

P S A	年 齢		—39		40—44		45—49		50—54		55—59		60—64		65—69		70—74		75—79		80—		
	合 計	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
受診者数	663	663		7	13	17		38	59	102	171	124	79	53									
要精検者数	39	39		0	1	0		0	3	8	11	9	4	3									
要精検率 %	5.9	5.9		0.0	7.7	0.0		0.0	5.1	7.8	6.4	7.3	5.1	5.7									
精検受診者数	34	34		0	1	0		0	3	7	9	8	3	3									
精検受診率 %	87.2	87.2			100.0				100.0	87.5	81.8	88.9	75.0	100.0									
結 果																							
進行がん	0	0		0	0	0		0	0	0	0	0	0	0					0	0	0	0	0
早期がんB0	1	1		0	0	0		0	0	0	0	0	1	0					0	0	0	0	0
早期がんB1	1	1		0	0	0		0	0	0	0	0	0	0					0	0	0	0	0
早期がんB2	0	0		0	0	0		0	0	0	0	0	0	0					0	0	0	0	0
局所進展がん	1	1		0	0	0		0	0	0	0	0	0	0					0	0	0	1	0
がんの疑い	10	10		0	0	0		0	0	2	4	3	1	0					0	0	0	0	0
病期不明がん	0	0		0	0	0		0	0	0	0	0	0	0					0	0	0	0	0
その他	18	18		0	1	0		0	3	4	5	2	1	2					0	0	0	0	2
不 明	1	1		0	0	0		0	0	0	0	0	0	0					0	0	0	0	0
異常なし	2	2		0	0	0		0	0	1	0	1	0	0					0	0	0	0	0
乳																							
受診者数	583		583		25	55		65		71		104		109		82		33		26		13	
要精検者数	39		39		3	3		7		5		12		6		1		1		0		1	
要精検率 %	6.7		6.7		12.0	5.5		10.8		7.0		11.5		5.5		1.2		3.0		0.0		7.7	
精検受診者数	35		35		3	3		6		4		12		6		1		0		0		0	
精検受診率 %	89.7		89.7		100.0	100.0		85.7		80.0		100.0		100.0		100.0		0.0				0.0	
結 果																							
乳がん	1		1		0	0		0		1		0		0		0		0		0		0	
がんの疑い	0		0		0	0		0		0		0		0		0		0		0		0	
線維腺腫	2		2		0	1		0		1		0		0		0		0		0		0	
乳腺症	6		6		1	0		2		2		1		0		0		0		0		0	
のう胞	6		6		1	1		0		1		2		0		0		0		0		0	
良性石灰化像	8		8		0	1		0		4		3		0		0		0		0		0	
その他	6		6		0	1		1		3		1		0		0		0		0		0	
不 明	1		1		0	0		1		0		0		0		0		0		0		0	
異常なし	9		9		1	0		2		2		2		1		1		0		0		0	
※要精検数はMMG結果のみ																							
子宮																							
受診者数	741		741		33	54		72		71		122		140		124		67		39		19	
要精検者数	9		9		1	0		3		1		0		0		0		2		0		2	
要精検率 %	1.2		1.2		3.0	0.0		4.2		1.4		0.0		0.0		0.0		3.0		0.0		10.5	
精検受診者数	9		9		1	0		3		1		0		0		0		2		0		2	
精検受診率 %	100.0		100.0		100.0			100.0		100.0								100.0				100.0	
結 果																							
浸潤がん(子宮頸)	0		0		0	0		0		0		0		0		0		0		0		0	
上皮内がん(子宮頸)	0		0		0	0		0		0		0		0		0		0		0		0	
子宮体がん	0		0		0	0		0		0		0		0		0		0		0		0	
高度異形成	0		0		0	0		0		0		0		0		0		0		0		0	
中等度異形成	0		0		0	0		0		0		0		0		0		0		0		0	
軽度異形成	4		4		1	0		0		1		0		0		0		0		0		0	
内膜増殖症	0		0		0	0		0		0		0		0		0		0		0		0	
その他	1		1		0	0		1		0		0		0		0		0		0		0	
不 明	0		0		0	0		0		0		0		0		0		0		0		0	
異常なし	4		4		0	0		2		0		0		0		0		2		0		0	
※要精検数は細胞診結果のみ																							