

2017年度 特定健診（がん検診）結果集計表（2017年4月～2018年3月）

			年 齢				—39		40—44		45—49		50—54		55—59		60—64		65—69		70—74		75—79		80—		
男・女	計	%	男	%	女	%	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	
計	2620	100.0	1168	100.0	1452	100.0	12	2	33	111	36	98	37	75	27	81	64	167	264	321	307	276	228	186	160	135	
判定																											
A + B	122	4.7	29	2.5	93	6.4	1	0	8	19	3	14	2	10	1	11	2	9	4	19	2	4	4	7	2	0	
C	597	22.8	213	18.2	384	26.4	3	1	10	38	14	39	10	28	6	21	16	53	47	87	57	68	32	30	18	19	
D	666	25.4	266	22.8	400	27.5	7	0	11	52	10	36	10	26	8	33	17	49	70	77	61	69	37	35	35	23	
E	9	0.3	5	0.4	4	0.3	0	0	0	0	0	0	1	0	0	0	0	1	0	1	2	0	1	1	1	1	
F	1226	46.8	655	56.1	571	39.3	1	1	4	2	9	9	14	11	12	16	29	55	143	137	185	135	154	113	104	92	
要指導																											
肥 満	801	30.6	367	31.4	434	29.9	6	1	5	35	18	32	20	23	9	30	20	46	84	76	93	78	74	60	38	53	
高 血 圧	249	9.5	126	10.8	123	8.5	1	0	3	6	0	9	5	2	2	2	10	14	40	34	26	30	18	14	21	12	
心 障 害 ※	351	13.4	177	15.2	174	12.0	2	0	3	1	4	3	1	2	1	7	13	18	33	44	53	49	39	31	28	19	
高 脂 血 症	697	26.6	271	23.2	426	29.3	4	0	11	18	14	17	10	23	9	20	9	64	65	110	65	88	50	51	34	35	
肝 障 害	254	9.7	138	11.8	116	8.0	1	0	5	4	3	1	6	8	5	5	7	11	29	28	35	27	25	15	22	17	
貧 血 症 ※	343	13.1	141	12.1	202	13.9	0	0	0	13	1	18	2	5	3	6	6	18	17	37	35	33	41	36	36	36	
白血球異常※	58	2.2	21	1.8	37	2.5	0	0	0	0	1	2	0	3	0	4	0	5	5	6	7	12	6	2	2	3	
腎 障 害 ※	329	12.6	173	14.8	156	10.7	1	0	3	2	3	0	3	4	4	5	5	15	38	31	39	29	44	35	33	35	
要精密検査																											
高 血 圧 症	56	2.1	29	2.5	27	1.9	0	0	0	1	1	2	2	1	0	1	4	5	5	9	8	3	7	4	2	1	
高 脂 血 症	161	6.1	61	5.2	100	6.9	2	0	6	6	2	2	4	7	3	11	5	12	10	27	14	17	8	9	7	9	
心 障 害 ※	91	3.5	53	4.5	38	2.6	0	0	1	0	1	0	1	0	1	0	6	4	8	8	19	11	8	8	8	7	
肝 障 害	168	6.4	109	9.3	59	4.1	3	0	4	4	4	4	5	4	6	5	12	10	32	14	27	8	9	5	7	5	
貧 血 症 ※	154	5.9	69	5.9	85	5.9	2	0	0	17	1	15	2	8	2	1	2	1	8	6	8	10	21	10	23	17	
白血球異常※	80	3.1	45	3.9	35	2.4	0	0	2	5	2	3	3	4	3	1	6	3	9	6	10	3	6	5	4	5	
糖 代 謝 異 常	160	6.1	113	9.7	47	3.2	0	0	2	2	1	0	2	2	3	2	3	2	24	15	33	9	25	8	20	7	
尿 糖 (+)	131	5.0	102	8.7	29	2.0	0	0	1	2	2	1	3	1	1	0	4	1	17	4	32	8	27	7	15	5	
便潜血(+)※2	158	7.2	93	9.7	65	5.2	0	0	3	5	0	4	0	4	2	1	2	6	22	16	25	10	24	12	15	7	
胃部カメラ異常※2	60	7.8	33	9.2	27	6.6	0	0	0	0	0	0	0	2	1	2	1	2	9	5	6	8	8	6	8	2	
胃部X-P異常※2	73	10.5	52	14.1	21	6.4	0	0	0	1	0	0	0	0	2	2	4	3	11	9	20	2	8	4	7	0	
胸部X-P異常	11	0.4	5	0.4	6	0.4	0	0	0	0	0	0	0	1	1	0	0	0	2	0	1	1	0	3	1	1	
尿 蛋 白 (+)	123	4.7	85	7.3	38	2.6	1	0	2	2	2	4	3	4	1	3	0	3	20	7	17	2	19	7	20	6	
尿 潜 血 (+)	296	11.3	73	6.3	223	15.4	0	0	1	12	2	8	3	7	1	13	2	30	16	43	22	50	11	37	15	23	
腎 障 害 ※	107	4.1	70	6.0	37	2.5	0	0	1	0	1	0	3	0	1	0	5	0	9	4	17	6	16	9	17	18	

A:異常なし
 B:軽度の異常が見られるが日常生活に差し支えなし
 C:経過観察を要する

D:要精密検査
 E:要治療
 F:治療中

※:未実施の方あり(%は実施数対比)
 ※2:未実施の方、単独受診の方あり(%は実施数対比)

特定健診・がん検診精密検査結果集計表(1月~12月)

	年 齢		—39		40—44		45—49		50—54		55—59		60—64		65—69		70—74		75—79		80—		
	合計	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
胃X-P																							
受診者数	600	329	271	0	0	6	17	6	2	12	16	9	13	21	49	105	78	91	42	42	39	37	15
要精検者数	48	39	9	0	0	0	0	0	0	0	0	0	1	5	1	10	4	11	2	6	1	7	0
要精検率 %	8.0	11.9	3.3			0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	23.8	2.0	9.5	5.1	12.1	4.8	14.3	2.6	18.9	0.0
精検受診者数	42	34	8	0	0	0	0	0	0	0	0	0	0	4	1	9	4	9	2	6	1	6	0
精検受診率 %	87.5	87.2	88.9										0.0	80.0	100.0	90.0	100.0	81.8	100.0	100.0	100.0	85.7	
結 果																							
異常なし	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0
進行胃がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
早期胃がん	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	0
深達度不明胃がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
粘膜内がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃がん疑い	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃ポリープ	4	3	1	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2	0
胃潰瘍	6	4	2	0	0	0	0	0	0	0	0	0	0	0	1	0	3	0	0	1	0	0	0
十二指腸潰瘍	3	3	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	0	0	0	0	0
共存潰瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
腺腫	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
胃粘膜下腫瘍	3	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0	0	0	0	0
十二指腸ポリープ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
食道がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃がん以外の悪性腫瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
不 明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
その他	28	23	5	0	0	0	0	0	0	0	0	0	0	4	0	7	4	4	1	4	0	4	0
胃内視鏡検査																							
受診者数	224	106	118	0	0	0	3	0	2	3	0	1	5	7	12	29	27	32	37	26	20	8	12
要精検者数	17	12	5	0	0	0	0	0	0	0	0	1	0	1	0	3	2	2	2	4	1	1	0
要精検率 %	7.6	11.3	4.2				0.0		0.0	0.0		100.0	0.0	14.3	0.0	10.3	7.4	6.3	5.4	15.4	5.0	12.5	0.0
精検受診者数	16	11	5	0	0	0	0	0	0	0	0	1	0	1	0	3	2	1	2	4	1	1	0
精検受診率 %	94.1	91.7	100.0									100.0		100.0		100.0	100.0	50.0	100.0	100.0	100.0	100.0	
結 果																							
異常なし	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
進行胃がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
早期胃がん	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
深達度不明胃がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
粘膜内がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃がん疑い	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃ポリープ	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0
胃潰瘍	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
十二指腸潰瘍	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
共存潰瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
腺腫	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃粘膜下腫瘍	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
十二指腸ポリープ	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
食道がん	1	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
胃がん以外の悪性腫瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃潰瘍瘢痕	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
不 明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
十二指腸潰瘍瘢痕	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
その他	9	7	2	0	0	0	0	0	0	0	0	0	0	1	0	2	1	1	1	3	0	0	0

胸部X-P	年 齢		—39		40—44		45—49		50—54		55—59		60—64		65—69		70—74		75—79		80—		
	合 計	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
受診者数	712	356	356	12	2	6	21	14	17	14	15	14	20	20	48	78	70	86	75	73	49	39	39
要精検者数	12	3	9	0	0	0	0	0	0	0	1	1	0	0	0	1	1	0	2	0	3	1	2
要精検率 %	1.7	0.8	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	7.1	0.0	0.0	0.0	1.3	1.4	0.0	2.7	0.0	6.1	2.6	5.1
精検受診者数	8	2	6	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	2	0	1	1	1
精検受診率 %	66.7	66.7	66.7								100.0	0.0				100.0	100.0		100.0		33.3	100.0	50.0
結 果																							
肺がん疑い	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
肺結核	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がん0期	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がんⅠ期	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がんⅡ期	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がんⅢ期	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がんⅣ期	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
その他	5	2	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	1	0
不 明	1	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
異常なし	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
その他の肺悪性新生物	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
その他の肺新生物	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
便潜血																							
受診者数	1,950	886	1,064	0	0	17	78	22	58	27	42	19	46	46	121	215	246	253	211	181	162	106	100
要精検者数	141	84	57	0	0	2	3	0	4	0	3	1	1	2	5	20	14	22	9	25	11	12	7
要精検率 %	7.2	9.5	5.4			11.8	3.8	0.0	6.9	0.0	7.1	5.3	2.2	4.3	4.1	9.3	5.7	8.7	4.3	13.8	6.8	11.3	7.0
精検受診者数	101	56	45	0	0	1	2	0	3	0	2	0	1	1	4	13	13	17	8	17	8	7	4
精検受診率 %	71.6	66.7	78.9			50.0	66.7		75.0		66.7	0.0	100.0	50.0	80.0	65.0	92.9	77.3	88.9	68.0	72.7	58.3	57.1
結 果																							
進行大腸がん	2	1	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0
早期大腸がん	5	2	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	0	0	0	0
深達度不明大腸がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
大腸がんの疑い	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
大腸腺腫	33	25	8	0	0	0	0	0	0	0	0	0	0	1	6	2	6	0	10	3	3	2	
その他大腸ポリープ	8	5	3	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2	2	0	0	1	
大腸憩室	6	4	2	0	0	0	0	0	1	0	0	0	0	0	1	1	1	0	1	0	1	0	
潰瘍性大腸炎	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
クローン病	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
その他	6	3	3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	1	1	0	
不 明	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	
異常なし	42	17	25	0	0	1	2	0	2	0	1	0	1	1	3	3	9	7	2	3	4	2	

P S A	年 齢		—39		40—44		45—49		50—54		55—59		60—64		65—69		70—74		75—79		80—		
	合 計	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女		
受診者数	338	338		0	0	4		7		5		21		79		110		65		47			
要精検者数	30	30		0	0	0		0		0		2		8		11		5		4			
要精検率 %	8.9	8.9				0.0		0.0		0.0		9.5		10.1		10.0		7.7		8.5			
精検受診者数	23	23		0	0	0		0		0		2		7		8		3		3			
精検受診率 %	76.7	76.7										100.0		87.5		72.7		60.0		75.0			
結 果																							
進行がん	0	0		0	0	0		0		0		0		0		0		0		0			
早期がんB0	0	0		0	0	0		0		0		0		0		0		0		0			
早期がんB1	0	0		0	0	0		0		0		0		0		0		0		0			
早期がんB2	0	0		0	0	0		0		0		0		0		0		0		0			
局所進展がん	0	0		0	0	0		0		0		0		0		0		0		0			
がんの疑い	11	11		0	0	0		0		0		1		4		3		2		1			
病期不明がん	0	0		0	0	0		0		0		0		0		0		0		0			
その他	9	9		0	0	0		0		0		0		2		4		1		2			
不 明	0	0		0	0	0		0		0		0		0		0		0		0			
異常なし	2	2		0	0	0		0		0		1		1		0		0		0			
乳																							
受診者数	168		168		0		57		24		21		18		11		19		10		5		3
要精検者数	10		10		0		3		4		2		1		0		0		0		0		0
要精検率 %	6.0		6.0				5.3		16.7		9.5		5.6		0.0		0.0		0.0		0.0		0.0
精検受診者数	10		10		0		3		4		2		1		0		0		0		0		0
精検受診率 %	100.0		100.0				100.0		100.0		100.0		100.0										
結 果																							
乳がん	0		0		0		0		0		0		0		0		0		0		0		0
がんの疑い	0		0		0		0		0		0		0		0		0		0		0		0
線維腺腫	1		1		0		1		0		0		0		0		0		0		0		0
乳腺症	1		1		0		0		0		1		0		0		0		0		0		0
のう胞	2		2		0		0		1		1		0		0		0		0		0		0
良性石灰化像	2		2		0		2		0		0		0		0		0		0		0		0
その他	2		2		0		0		1		1		0		0		0		0		0		0
不 明	0		0		0		0		0		0		0		0		0		0		0		0
異常なし	3		3		0		0		2		1		0		0		0		0		0		0
※要精検数はMMG結果のみ																							
子宮																							
受診者数	342		342		0		43		29		23		25		51		77		60		24		10
要精検者数	4		4		0		2		1		1		0		0		0		0		0		0
要精検率 %	1.2		1.2				4.7		3.4		4.3		0.0		0.0		0.0		0.0		0.0		0.0
精検受診者数	3		3		0		2		0		1		0		0		0		0		0		0
精検受診率 %	75.0		75.0				100.0		0.0		100.0												
結 果																							
浸潤がん(子宮頸)	0		0		0		0		0		0		0		0		0		0		0		0
上皮内がん(子宮頸)	1		1		0		1		0		0		0		0		0		0		0		0
子宮体がん	0		0		0		0		0		0		0		0		0		0		0		0
高度異形成	0		0		0		0		0		0		0		0		0		0		0		0
中等度異形成	0		0		0		0		0		0		0		0		0		0		0		0
軽度異形成	2		2		0		1		0		1		0		0		0		0		0		0
内膜増殖症	0		0		0		0		0		0		0		0		0		0		0		0
その他	0		0		0		0		0		0		0		0		0		0		0		0
不 明	0		0		0		0		0		0		0		0		0		0		0		0
異常なし	0		0		0		0		0		0		0		0		0		0		0		0
※要精検数は細胞診結果のみ																							